Author Index to Volume 38

Abou-Saleh MT, Anderson DN, Collins J, Hughes K, Cattel RJ, Hamon CGB, Blair JA. The role of pterins in depression and the effects of antidepressive therapy, 458

Abraham G, Friedman RH, Verghese C, de Leon J. Osteoporosis and schizophrenia: can we limit known risk factors?, 131-corr

Abuzzahab FS. See Fabre LF

Acosta E. See Lechin F

Adler LE. See Freedman R

Akiyama K, Tsuchida K, Kanzaki A, Ujike H, Hamamura T, Kondo K, Mutoh S, Miyanagi K, Kuroda S, Otsuki S. Plasma homovanillic acid levels and therapeutic outcome in schizophrenics: comparisons of neuroleptic-naive first- episode patients and patients with disease exacerbation due to neuroleptic discontinuance, 639

Albanese AM, Merlo AB, Mascitti TA, Tornese EB, Gómez EE, Konopka V, Albanese EF. Inversion of the hemispheric laterality of the anterior cingulate gyrus in schizophrenics, 13

Albanese EF. See Albanese AM

Alexander GE. See Mentis MJ

Alexopoulos GS. See Kalayam B

Almeida O. See Howard R

Amador XF. See Kirkpatrick B

Ambach W. See Bauer J

Amin M. See Fabre LF

Ananth J. See Rubin RT

Anderson DN. See Abou-Saleh MT

Andia I. See Davila R

Andreasen NC. See Schultz SK

Ansseau M. See Pitchot W

Anthenelli RM, Smith TL, Craig CE, Tabakoff B, Schuckit MA. Platelet monoamine oxidase activity levels in subgroups of alcoholics: diagnostic, temporal, and clinical correlates, 361

Arndt S. See Schultz SK

Arocha L. See Lechin F

Asai M. See Nibuya M

Axelrod BN. See Tompkins LM

Báez S. See Lechin F

Balon R. See Yeregani V

Barbato G, Ficca G, Beatrice M, Casiello M, Muscettola G, Rinaldi F. Effects of sleep deprivation on spontaneous eye blink rate and alpha EEG power, 340

Barr LC. See Goodman WK

Bartlett JA, Schleifer SJ, Demetrikopoulos MK, Keller SE. Immune differences in children with and without depression, 771

Bartzokis G, Marder SR. Magnetic resonance imaging of brain iron levels, 133-corr

Bauer J, Hohagen F, Gimmel E, Bruns F, Lis S, Krieger S, Ambach W, Guthmann A, Grunze H, Fritsch-Moreno R, Weissbach A, Ganter U, Frommberger U, Riemann D, Berger M. Induction of cytokine synthesis and fever suppresses REM sleep and improves mood in patients with major depression, 611

Baumann MH, Gendron TM, Becketts KM, Henningfield JE, Gorelick DA, Rothman RB. Effects of intravenous cocaine on plasma cortisol amd prolactin in human cocaine abusers, 751

Baumann P. See Bertschy G

Beatrice M. See Barbato G

Becker G, Becker T, Struck M, Lindner A, Burzer K, Retz W, Bogdahn U, Beckmann H. Reduced echogenicity of brainstem raphe specific to unipolar depression: a transcranial color-coded real-time sonography study, 180

Becker T. See Becker G

Becketts KM. See Baumann MH

Beckmann H. See Becker G

Bellodi L. See Mundo E

Belmaker RH, Fleischmann A. Transcranial magnetic stimulation: a potential new frontier in psychiatry, 419

Benes FM. Development of the glutamate, GABA, and dopamine systems in relation to NRH-induced neurotoxicity, 785-ed

Berger M
See Bauer J
See Gann H

Berlin I, Said S, Spreux-Varoquaux O, Olivares R, Launay J-M, Puech AJ. Monoamine oxidase A and B activities in heavy smokers, 756

Bertschy G, Baumann P. Vulnerability to fluoxetine-induced indifference syndrome among opiate addicts: a case report, 404

Bessler H, Levental Z, Karp L, Modai I, Djaldetti M, Weizman A. Cytokine production in drug-free and neuroleptic-treated schizophrenic patients, 297

Bierer LM. See Lawlor BA

Bissette G. See Pitts AF

Blair JA. See Abou-Saleh MT

Bleich A. See Iancu I

Blennow K. See Heilig M

Bodenheimer S. See Peskind ER

Abbreviations:
ed; editorial
corr: correspondence

© 1995 Society of Biological Psychiatry

0006-3223/95/$09.50
SSDI 0006-3223(95)00540-4

Bogdahn U. See Becker G
Bolwig TG
See Kragh J
See Mellerup ET
Bradwejn J, Koszycki D, Paradis M, Reece P, Hinton J, Sedman A. Effect of CI-988 on cholecystokinin tetrapeptide-induced panic symptoms in healthy volunteers, 742
Braff DL. See Swerdlow NR
Braun AR. See Lipska BK
Bremner JD. See Randall PK
Bridger WH. Undivided publication of research findings: a uniform editorial policy of the consortium of editors of journals relating to human development and psychopathology, 137-ed
Brown AS, Susser ES, Lin SP, Gorman JM. Affective disorders in Holland after prenatal exposure to the 1957 A2 influenza epidemic, 270
Browne S. See Papp LA
Bruijn JA. See Kok FW
Bruns F. See Bauer J
Bryant NL. See Kirkpatrick B
Buchanan RW. See Bustillo JR
Buchsbaum M. See Raine A
Buckley P. See O'Callaghan E
Bunney BS. See Price LH
Burzer K. See Becker G
Bustillo JR, Buchanan RW. Neuroleptic-induced emesis: a new indication for clozapine?, 194
Bustillo JR, Kirkpatrick B, Buchanan RW. Neuroleptic treatment and negative symptoms in deficit and nondeficit schizophrenia, 64
Butters N. See Dupont R
Buysse DJ. See Thase ME
Bystritsky A, Craske M, Maidenberg E, Vapnik T, Shapiro D. Ambulatory monitoring of panic patients during regular activity: a preliminary report, 684

Cadenhead K. See Swerdlow NR
Calabrese G. See Deicken RF
Caligiuri MP, Lohr JB, Vaughan RM, McAdams L. Fluctuation of tardive dyskinesia, 336
Calvi-Gries F. See Luthringer R
Camfferman G. See Kemner C
Caplik JF. See Goodman WK
Cappiello A, McDougle CJ, Malison RT, Heninger GR, Price LH. Yohimbine augmentation of fluvoxamine in refractory depression: a single-blind study, 765
Carey RJ, Pinheiro-Carrera M, Dai H, Tomaz C, Huston JP. L-DOPA and psychosis: evidence for L-DOPA-induced increases in prefrontal cortex dopamine and in serum corticosterone, 669
Carpenter WT. See Kirkpatrick B
Carroll BT, Goforth HW. Serum iron in catatonia, 776- corr
Casaccchia M. See Stratta P
Casanova MF
Elmer Ernest Southard (1876–1920), 71-ed
See Gilad GM
See Wyatt RJ
Casero RA Jr. See Gilad GM
Casiello M. See Barbato G
Cattel RJ. See Abou-Saleh MT
Charles HC. See Miner CM
Charney DS
See Goddard AW
See Goodman WK
See Morgan CA III
See Randall PK
Chen WJ. See Goldstein JM
Choi N-K. See Lee H-S
Claghorn JL. See Fabre LF
Clark CM. See Maskall DD
Clarke AS, Kammerer CM, George KP, Kupfer DJ, McKinney WT, Spence MA, Kraemer GW. Evidence for heritability of biogenic amine levels in the cerebropinal fluid of rhesus monkeys, 572
Cocito L. See Primavera A
Cohen AF. See Pijl H
Cohen LS. See Sichel DA
Collins J. See Abou-Saleh MT
Condray R, van Kammen DP, Steinhauer SR, Kasparek A, Yao JK. Language comprehension in schizophrenia: trait or state indicator?, 287
Cooke RG. See Young LT
Cooper T. See Merikangas KR
Coplan JD. See Papp LA
Copolov D
See Kulkarni J
See Sundram S
Cowley DS. See Roy-Byrne P
Cox T. See Howard R
Craig CE. See Anthenelli RM
Craske M. See Bystritsky A
Cuperus JM. See Kemner C

Dai H. See Carey RJ
Dam H. See Mellerup ET
Damask SP. See Meador-Woodruff JH
Daneluzzo E. See Stratta P
Davidson JRT. See Miner CM
Davies HD. See Omar SJ
Davila R, Gonzalez MA, Zumarraga M, Andia I, Guimon J, Silva RR, Friedhoff AJ. Plasma prolactin and plasma homovanillic acid: predictors of clinical response in schizophrenia, 267
Davis KL. See Lawlor BA
Davis LL. See Garbutt JC
Davis M. See Morgan CA III
Dean B. See Sundram S
de Castella A. See Kulkarni J
Deicken RF, Calabrese G, Merrin EL, Vinogradov S, Fein G, Weiner MW. Assymetry of temporal lobe phosphorous metabolism in schizophrenia: a ^{31}phosphorous magnetic resonance spectroscopic imaging study, 279
de Leon J. See Abraham G
DeLisi L, Tew W, Xie S-h, Hoff AL, Sakuma M, Kushner M, Lee G, Shedlack K, Smith AM, Grimson R. A prospective follow-up study of brain morphology and cognition in first-episode schizophrenic patients: preliminary findings, 349
Demetrikopoulos MK. See Bartlett JA
Dettling M
See Lammers C-H
See Schmider J
Diemer NH. See Kragh J
Djaldetti M. See Bessler H
Docherty NM, Grillon C. Affective reactivity of language and the startle response in schizophrenia, 68
Dorsa DM. See Peskind ER
Dubé S. See Fabre LF
Dumont M. See Lapierre O
Dupont R, Butters N, Schafer K, Wilson T, Hesselink J, Gillin JC. Diagnostic specificity of focal white matter abnormalities in bipolar and unipolar mood disorder, 482

Egan MF. See Elkashef AM
Ekman R. See Heilig M
Elkashef AM, Egan MF, Frank JA, Hyde TM, Lewis BK, Wyatt RJ. Magnetic resonance imaging of brain iron levels, 134-corr (response)
Ellis P, Salmond C. Is platelet imipramine binding reduced in depression? A meta-analysis by

Ellis and Salmond, 776-corr (response)
Ennis ET. See O'Callaghan E
Evans WJ. See Schwartz BD

Fabre LF, Abuzzahab FS, Amin M, Claghorn JL, Mendels J, Petrie WM, Dubé S, Small JG. Sertraline safety and efficacy in major depression: a double-blind fixed-dose comparison with placebo, 592
Faraone SV. See Goldstein JM
Farber NB, Wozniak DF, Price MT, Labruyere J, Huss J, St. Peter H, Olney JW. Age-specific neurotoxicity in the rat associated with NMDA receptor blockade: potential relevance to schizophrenia?, 788
Farhi A. See Price LH
Fein G
Alcohol abuse and HIV, 344-corr (response)
See Deicken RF
Ficca G. See Barbato G
Fleischmann A. See Belmaker RH
Fonti A. See Primavera A
Frank E. See Thase ME
Frank JA. See Elkashef AM
Franz B, Kupfer DJ, Miewald JM, Jarrett DB, Grochocinski VJ. Growth hormone secretion timing in depression: clinical outcome comparisons, 720
Freedman R, Hall M, Adler LE, Leonard S. Evidence in postmortem brain tissue for decreased numbers of hippocampal nicotinic receptors in schizophrenia, 22
Friedhoff AJ. See Davila R
Friedman RH. See Abraham G
Fritsch-Moreno R. See Bauer J
Frölich M. See Pijl H
Frommberger U. See Bauer J, 611
Fujita H. See Tomitaka S-i, 128
Fujita Y. See Okamoto Y, 274
Fulton M. See Petty F, 578
Furey M. See Mentis MJ, 438

Gann H, Riemann D, Stoll S, Berger M, Müller WE. Growth hormone response to growth hormone-releasing hormone and clonidine in depression, 325
Ganter U. See Bauer J
Garbutt JC, Miller LP, Kramer G, Davis LL, Mason GA, Prange AJ Jr, Petty F. Increased serum γ-aminobutyric acid (GABA) levels in young men at high risk for alcoholism, 704
García H. See Pozzi D
Garcí Z. See Lechin F
Gendron TM. See Baumann MH
George KP. See Clarke AS
Geraisy N. See Silver H
Gerez M, Tello A. Selected quantitative EEG (QEEG) and event-related potential (ERP) variables as discriminators for positive and negative schizophrenia, 34
Germine M. See Goddard AW
Geyer MA. See Swerdlow NR
Giberti L. See Primavera A
Gilad GM, Gilad VH, Casanova MF, Casero RA Jr. Polyamines and their metabolizing enzymes in human frontal cortex and hippocampus: preliminary measurements in affective disorders, 227
Gilad VH. See Gilad GM
Gillin JC
See Dupont R
See Thompson PM
Gimmel E. See Bauer J
Glover V. See Merikangas KR
Goddard AW, Charney DS, Germine M, Woods SW, Heninger GR, Krystal JH, Goodman WK, Price LH. Effects of tryptophan depletion on responses to yohimbine in healthy human subjects, 74
Goforth HW. See Carroll BT
Goldberg E, Podell K. Lateralization in the frontal lobes: searching the right (and left) way, 569-ed
Goldman RS. See Tompkins LM
Goldsmith D. See Kalayam B
Goldstein JM, Faraone SV, Chen WJ, Tsuang MT. Genetic heterogeneity may in part explain sex differences in the familial risk for schizophrenia, 808
Golimstock A. See Pozzi D
Golshan S. See Thompson PM
Gómez EE. See Albanese AM
Gonzalez MA. See Davila R
Gonzalez RG. See Sachs GS
Gonzalez Moreno A. See Pitchot W
Good K. See Kopala LC
Goodman WK. See Goddard AW
Goodman WK, McDougle CJ, Price LH, Barr LC, Hills OF, Caplik JF, Charney DS, Heninger GR. m-Chlorophenylpiperazine in patients with obsessive compulsive disorder: absence of symptom exacerbation, 138
Gorelick DA. See Baumann MH
Gorman JM
See Brown AS
See Papp LA
Gotthardt U
See Lammers C-H
See Schmider J
Graff E. See Rabey JM
Graves P. See Howard R
Grillon C
See Docherty NM
See Morgan CA III
Grimson R. See DeLisi L
Grochocinski VJ
See Franz B
See Thase ME
Gruber S. See Kouri E
Grunze H. See Bauer J
Guimarães AR. See Sachs GS
Guimon J. See Davila R
Gupta S. See Schultz SK
Guthmann A. See Bauer J

Ha KS. See Kim CE
Hall M. See Freedman R
Halonen T. See Rimón R
Hamamura T. See Akiyama K
Hamon CGB. See Abou-Saleh MT
Hansenne M. See Pitchot W
Heijnen CJ. See Kok FW
Heilig M, Sjögren M, Blennow K, Ekman R, Wallin A. Cerebrospinal fluid neuropeptides in Alzheimer's disease and vascular dementia, 210
Heninger GR
See Cappiello A
See Goddard AW
See Goodman WK
See Randall PK
Henningfield JE. See Baumann MH
Hesselink J. See Dupont R
Heuser IJE
See Lammers C-H
See Schmider J
Hill SY, Muka D, Steinhauer SR, Locke J. P300 amplitude decrements in children from families of alcoholic female probands, 622
Hills OF. See Goodman WK
Hinton J. See Bradwejn J
Hinze-Selch D, Mullington J, Pollmächer T. Sleep during clozapine-induced fever in a schizophrenic patient, 690
Hoff AL. See DeLisi L
Hoffer PB. See Price LH

Hohagen F. See Bauer J
Holsboer F
See Lammers C-H
See Schmider J
Honer WG. See Kopala LC
Horie T. See Omori M
Horwitz B. See Mentis MJ
Howard R, Cox T, Almeida O, Mullen R, Graves P, Reveley A, Levy R. White matter signal hyperintensities in the brains of patients with late paraphrenia and the normal, community-living elderly, 86
Hughes K. See Abou-Saleh MT
Huss J. See Farber MB
Huston JP. See Carey RJ
Hyde TM. See Elkashef AM

Iancu I, Kotler M, Bleich A, Lepkifker E. Clomipramine efficacy for Tourette syndrome and major depression: a case study, 407
Iestra JA. See Pijl H
Irwin M. See Thompson PM
Isaki K. See Omori M

Jaffe E, Tremeau F, Sharif Z, Reider R. Clozapine in tardive Tourette syndrome, 196
Jarrett DB. See Franz B
Jaskiw GE. See Lipska BK
Jensen PN, Møller HJ, Smith DF, Rosenberg R. Acute effect of exercise on human blood platelet serotonin uptake and monoamine oxidase activity, 125
Jeong SH. See Kim CE
Jimenéz V. See Lechin F
Joffe RT. See Young LT
Jolkkonen J. See Rimón R
Jong SK. See Keenan PA
Jørgensen MB. See Kragh J

Kagaya A. See Okamoto Y
Kakuma T. See Kalayam B
Kalayam B, Meyers BS, Kakuma T, Alexopoulos GS, Young RC, Solomon S, Shotland R, Nambudiri D, Goldsmith D. Age at onset of geriatric depression and sensorineural hearing deficits, 649
Kammerer CM. See Clarke AS
Kanba S. See Nibuya M
Kang DY. See Kim CE
Kanzaki A. See Akiyama K
Karoum F. See Wyatt RJ
Karp L. See Bessler H
Kasparek A. See Condray R
Kathol RG. See Pitts AF
Katz CBS. See Merikangas KR
Kazamatsuri H. See Kunugi H
Keenan PA, Lindamer LA, Jong SK. Menstrual phase-independent retrieval deficit in women with PMS, 369
Keks N. See Kulkarni J
Keller SE. See Bartlett JA
Kemner C, Verbaten MN, Cuperus JM, Camfferman G, van Engeland H. Auditory event-related brain potentials in autistic children and three different control groups, 150
Kim CE, Kang DY, Ha KS, Jeong SH, Kim YS. Haloperidol does not affect the level of serum-soluble interleukin-2 receptor in drug-free male schizophrenics, 843
Kim C-H. See Lee H-S
Kim YS. See Kim CE
Kinsella A. See O'Callaghan E
Kirkpatrick B. See Bustillo JR
Kirkpatrick B, Amador XF. The study of paranoia and suspiciousness, 496-ed
Kirkpatrick B, Bryant NL. Sexual dimorphism in the brain: it's worse than you thought, 347-ed
Kirkpatrick B, Carpenter WT. Drug development and the deficit syndrome schizophrenia, 277-ed
Klein DF. See Papp LA
Knott PJ. See Lawlor BA
Kojima I. See Tomitaka S-i
Kok FW, Heijnen CJ, Bruijn JA, Westenberg HGM, van Ree JM. Immunoglobulin production in vitro in major depression: a pilot study on the modulating action of endogenous cortisol, 217
Kondo K. See Akiyama K
Konopka V. See Albanese A
Konoshita N. See Nibuya M
Kopala LC, Good K, Honer WG. Olfactory identification ability in pre- and postmenopausal women with schizophrenia, 57
Koppeschaar HPF. See Pijl H
Korczyn AD. See Rabey JM
Koshino Y. See Omori M
Koszycki D. See Bradwejn J
Kotler M. See Iancu I
Kouri E, Pope HG Jr, Yurgelun-Todd DA, Gruber S. Attributes of heavy vs. occasional marijuana smokers in a college population, 475
Kraemer GW. See Clarke AS
Kragh J, Jørgensen MB, Diemer NH, Bolwig TM. Long-term decrease in the hippocampal [^{3}H] inositoltriphosphate binding following repeated electroshock in the rat, 471
Kramer G. See Garbutt JC
Krieger S. See Bauer J
Krishnan KRR. See Miner CM
Krystal JH
See Goddard AW
See Randall PK
Kuan AJ. See Maskall DD
Kulick-Bell R. See Mellman TA, 174
Kulkarni J, de Castella A, Smith D, McKenzie D, Keks N, Singh BS, Copolov D. Gonadotropin response to naloxone challenge in female and male psychotic patients: a pilot study, 701
Kumar A. See Mellman TA
Kumar M. See Mellman TA
Kunugi H, Nanko S, Kazamatsuri H. A case of bipolar disorder with balanced chromosomal translocation, 116
Kupfer DJ
See Clarke AS
See Franz B
See Thase ME
Sleep research in depressive illness: clinical implications—a tasting menu, 391
Kuroda S. See Akiyama K
Kushner M. See DeLisi L

Labbate LA, Lafer B, Thibault A, Rosenbaum JF, Sachs GS. Influence of phototherapy treatment duration for seasonal affective disorder: outcome at one vs. two weeks, 747
Labruyere J. See Farber MB
Ladds B, Trachtenberg D. Glucose metabolism in murderers, 342-corr
Lafer B
See Labbate LA
See Sachs GS
Lam RW. See Maskall DD
Lammers C-H, Garcia-Borreguero D, Schmider J, Gotthardt U, Dettling M, Holsboer F, Heuser IJE. Combined dexamethasone/corticotropin-releasing hormone test in patients with schizophrenia and in normal controls: II, 803
Lammers C-H. See Schmider J
Lapierre O, Dumont M. Melatonin treatment of a non-24- hour sleep–

wake cycle in a blind retarded child, 119
Larkin C. See O'Callaghan E
Launay J-M. See Berlin I
Lawlor BA, Bierer LM, Ryan TM, Schmeidler J, Knott PJ, Williams LL, Mohs RC, Davis KL. Plasma 3-methoxy-4-hydroxyphenylglycol (MHPG) and clinical symptoms in Alzheimer's disease, 185
Lechin AE. See Lechin F
Lechin F, van der Dijs B, Orozco B, Lechin ME, Báez S, Lechin AE, Rada I, Acosta E, Arocha L, Jimenéz V, León G, Garcí Z. Plasma neurotransmitters, blood pressure, and heart rate, 166
Lechin ME. See Lechin F
Leckman JF. See Yazgan MY
Lee G. See DeLisi L
Lee H-S, Kim C-H, Song D-H, Choi N-K, Yoo K-J. Clozapine does not elevate serum prolactin levels in healthy men, 762
Leiter FL, Nierenberg AA, Sanders KM, Stern TA. Discontinuation reactions following sertraline, 694
Leonard S. See Freedman R
León G. See Lechin F
Lepkifker E. See Iancu I
Lepola U. See Rimón R
Leranth C. See Price LH
Levental Z. See Bessler H
Levine S. See Levinson I
Levinson I, Levine S. Negative correlations between alpha-1-glycoprotein plasma level and response to haloperidol in the acute treatment of schizophrenia, 198
Levitt AJ. See Young LT
Levy R. See Howard R
Lewis BK. See Elkashef AM
Lewis N. See Murburg MM
Lin SP. See Brown AS
Lindamer LA. See Keenan PA
Lindner A. See Becker G
Lingjærde O. Dopamine uptake in platelets, 416- corr
Lipska BK, Jaskiw GE, Braun AR, Weinberger DR. Prefrontal cortical and hippocampal modulation of haloperidol-induced catalepsy and apomorphine-induced stereotypic behaviors in the rat, 255
Lis S. See Bauer J
Little KY. See Meador-Woodruff JH
Locke J. See Hill SY
Lohr JB. See Caligiuri MP
Luthringer R, Minot R, Toussaint M, Calvi-Gries F, Schaltenbrand N, Macher J-P. All-night EEG spectral analysis as a tool for the prediction of clinical response to antidepressant treatment, 98
Lyness SA. See Schneider LS

Macher J-P. See Luthringer R
Madigan C. See O'Callaghan E
Maes M. See Meltzer HY
Mahadik SP, Mukherjee S. Monosialoganglioside cotreatment prevents haloperidol treatment-associated loss of cholinergic enzymes in rat brain, 246
Maidenberg E. See Bystritsky A
Makuch R. See Price LH
Malison RT. See Cappiello A
Malt UF. See Tanum L
Marder SR. See Bartzokis G
Marek KL. See Price LH
Martin CS. See Moss HB
Martinez JM. See Papp LA
Mascitti TA. See Albanese AM
Maskall DD, Zis AP, Lam RW, Clark CM, Kuan AJ. Prolactin response to buspirone challenge in the presence of dopaminergic blockade, 235
Mason GA. See Garbutt JC
Matsuo Y. See Nibuya M
Mattei P. See Stratta P
McAdams L. See Caligiuri MP
McDermott BE. See Schwartz BD
McDougle CJ
See Cappiello A
See Goodman WK
McEachran AB. See Thase ME
McFall ME. See Murburg MM
McIntosh AR. See Mentis MJ
McKenzie D. See Kulkarni J
McKinney WT. See Clarke AS
Meador-Woodruff JH, Little KY, Damask SP, Watson SJ. Effects of cocaine on D_3 and D_4 receptor expression in the human striatum, 263
Meinders AE. See Pijl H
Meller WH. See Pitts AF
Mellerup ET, Bolwig TG, Dam H, Plenge P. The serotonin transporter in depressed patients: a qualitative study based on dissociation kinetics, 699
Mellman TA, Kumar A, Kulick-Bell R, Kumar M, Nolan B. Nocturnal/daytime urine noradrenergic measures and sleep in combat-related PTSD, 174
Melton Swartz C. Generalization, duration, and low-frequency electroencephalographic persistence of bilateral electroconvulsive therapy seizure, 837
Meltzer HY, Maes M. Effect of pindolol pretreatment on MK-212-induced plasma cortisol and prolactin responses in normal men, 310
Effects of ipsapirone on plasma cortisol and body temperature in major depression, 450
Mena I. See Rubin RT
Menchon JM. See Rosel-Soria P
Mendels J. See Fabre LF
Mendelson JH. Alcohol abuse and HIV, 343-corr
Mentis MJ, Weinstein EA, Horwitz B, McIntosh AR, Pietrini P, Alexander GE, Furey M, Murphy DGM. Abnormal brain glucose metabolism in the delusional misidentification syndromes: a positron emission tomography study in Alzheimer disease, 438
Merikangas JR. See Merikangas KR
Merikangas KR, Merikangas JR. Combination monoamine oxidase inhibitor and β-blocker treatment of migraine, with anxiety and depression, 603
Merikangas KR, Stevens DE, Merikangas JR, Katz CBS, Glover V, Cooper T, Sandler M. Tyramine conjugation deficit in migraine, tension-type headache, and depression, 730
Merlo AB. See Albanese AM
Merrin EL. See Deicken RF
Meyers BS. See Kalayam B
Miewald JM. See Franz B
Mikulis D. See Woods BT
Miller DD. See Schultz SK
Miller LP. See Garbutt JC
Miller TP. See Omar SJ
Miner CM, Davidson JRT, Potts NLS, Tupler LA, Charles HC, Krishnan KRR. Brain fluoxetine measurements using fluorine magnetic resonance spectroscopy in patients with social phobia, 696
Minot R. See Luthringer R
Miyanagi K. See Akiyama K
Modai I. See Bessler H
Mohs RC. See Lawlor BA
Møller HJ. See Jensen PN

Montoya ID, Umbricht A, Preston KL. Buprenorphine for human immunovirus-positive opiate-dependent patients, 135-corr
Morgan CA III, Grillon C, Southwick SM, Davis M, Charney DS. Fear-potentiated startle in posttraumatic stress disorder, 378
Moss HB, Vanyukov MM, Martin CS. Salivary cortisol responses and the risk for substance abuse in prepubertal boys, 547
Motohashi N. See Okamoto Y
Muka D. See Hill SY
Mukherjee S. See Mahadik SP
Mullen R. See Howard R
Müller WE. See Gann H
Mundo E, Bellodi L, Smeraldi E. Effects of acute intravenous clomipramine on obsessive-compulsive symptoms and response to chronic treatment, 525
Murata I. See Omori M
Murata T. See Omori M
Murburg MM, McFall ME, Lewis N, Veith RC. Plasma norepinephrine kinetics in patients with posttraumatic stress disorder, 819
Murphy DGM. See Mentis MJ
Murphy GE. Eli Robins, M.D., 1921–1994 (in memoriam), 495
Muscettola G. See Barbato G
Mutoh S. See Akiyama K

Naftolin F. See Price LH
Nagy LM. See Randall PK
Nambudiri D. See Kalayam B
Nanko S. See Kunugi H
Natelson BH. See Servatius RJ
Navarro MA. See Rosel-Soria P
Nemeroff CB. See Pitts AF
Nibuya M, Kanba S, Sekiya U, Suzuki E, Matsuo Y, Konoshita N, Shintani F, Yagi G, Asai M. Schizophrenic patients with deficit syndrome have higher plasma homovanillic acid concentrations and ventricular enlargement, 50
Nicolaou AL. See Randall PK
Nierenberg AA. See Leiter FL
Nishio M. See Omori M
Nolan B. See Mellman TA

Oberman Z. See Rabey JM
O'Brien BA. See Schwartz BD
O'Callaghan E, Buckley P, Madigan C, Redmond O, Stack JP, Kinsella A, Larkin C, Ennis ET, Waddington JL. The relationship of minor physical anomalies and other putative indices of developmental disturbance in schizophrenia to abnormalities of cerebral structure on magnetic resonance imaging, 516
Okamoto Y. See Okamoto Y
Okamoto Y, Okamoto Y, Kagaya A, Tamiya S, Fujita Y, Tohoda Y, Motohashi N, Yamawaki S. Serotonin-induced platelet calcium mobilization is enhanced in bulimia nervosa but not in anorexia nervosa, 274
Olivares R. See Berlin I
Olney JW. See Farber MB
Omar SJ, Robinson D, Davies HD, Miller TP, Tinklenberg JR. Fluoxetine and visual hallucinations in dementia, 556
Omori M, Koshino Y, Murata T, Murata I, Nishio M, Sakamoto K, Horie T, Isaki K. Quantitative EEG in never-treated schizophrenic patients, 303
Onkenhout W. See Pijl H
Oros M. See Rosel-Soria
Orozco B. See Lechin F
Otsuki S. See Akiyama K
Ottenweller JE. See Servatius RJ

Papp LA, Martinez JM, Klein DF, Coplan JD, Gorman JM. Rebreathing tests in panic disorder, 240
Papp LA, Welkowitz LA, Martinez JM, Klein DF, Browne S, Gorman JM. Instructional set does not alter outcome of respiratory challenges in panic disorder, 826
Paradis M. See Bradwejn J
Pascualy M. See Peskind ER
Peedicayil J. Prolactin is synthesized and secreted by the endometrium, 417-corr
Perry W. See Swerdlow NR
Peskind ER, Wingerson D, Pascualy M, Thal L, Veith RC, Dorsa DM, Bodenheimer S, Raskind MA. Oral physostigmine in Alzheimer's disease: effects on norepinephrine and vasopressin in cerebrospinal fluid and plasma, 532
Peterson B. See Yazgan MY
Petracchi M. See Pozzi D
Petrie WM. See Fabre LF
Petty F. See Garbutt JC
Petty F, Trivedi MH, Fulton M, Rush AJ. Benzodiazepines as antidepressants: does GABA play a role in depression?, 578
Pietrini P. See Mentis MJ
Pijl H, Cohen AF, Verkes RJ, Koppeschaar HPF, Iestra JA, Schoemaker HC, Frölich M, Onkenhout W, Meinders AE. Plasma amino acid ratios related to brain serotonin synthesis in response to food intake in bulimia nervosa, 659
Pillay SS. See Woods BT
Pinheiro-Carrera M. See Carey RJ
Pitchot W, Hansenne M, Gonzalez Moreno A, Ansseau M. Growth hormone response to clonidine in nondepressed patients with a history of suicide attempts, 201
Pitts AF, Samuelson SD, Meller WH, Bissette G, Nemeroff CB, Kathol RG. Cerebrospinal fluid corticotropin-releasing hormone, vasopressin, and oxytocin concentrations in treated patients with major depression and controls, 330
Plenge P. See Mellerup ET
Podell K. See Goldberg E
Pohl R. See Yeregani V
Pope HG Jr. See Kouri E
Potts NLS. See Miner CM
Pozzi D, Golimstock A, Petracchi M, García H, Starkstein S. Quantified electroencephalographic changes in depressed patients with and without dementia, 677
Prange AJ Jr. See Garbutt JC
Preston KL. See Montoya ID
Price LH
See Goddard AW
See Cappiello A
See Goodman WK
Price LH, Spencer DD, Marek KL, Robbins RJ, Leranth C, Farhi A, Naftolin F, Roth RH, Bunney BS, Hoffer PB, Makuch R, Redmond DE Jr. Psychiatric status after human fetal mesencephalic tissue transplantation in Parkinson's disease, 498
Price MT. See Farber MB
Primavera A, Fonti A, Giberti L, Cocito L. Recurrence absence status epilepticus and hyponatremia in a patient with polydipsia, 189
Puech AJ. See Berlin I

Rabey JM, Oberman Z, Graff E, Korczyn AD. Decreased dopamine uptake into platelet storage granules in Gilles de La Tourette Disease, 112
Rada I. See Lechin F
Radant A. See Roy-Byrne P
Raine A, Buchsbaum M, Stoddard J. Glucose metabolism in murderers, 342-corr (response)
Ramesh C. See Yeregani V
Randall PK, Bremner JD, Krystal JH, Nagy LM, Heninger GR, Nicolaou AL, Charney DS. Effects of the benzodiazepine antagonist flumazenil in PTSD, 319
Rashid KF. See Thase ME
Raskind MA. See Peskind ER
Redmond DE Jr. See Price LH
Redmond O. See O'Callaghan E
Reece P. See Bradwejn J
Reider R. See Jaffe E
Renshaw PF. See Sachs GS
Retz W. See Becker G
Reveley A. See Howard R
Riekkinen P. See Rimón R
Riemann D
See Bauer J
See Gann H
Rimón R, Lepola U, Jolkkonen J, Halonen T, Riekkinen P. Cerebrospinal fluid gamma-aminobutyric acid in patients with panic disorder, 737
Rinaldi F. See Barbato G
Robbins RJ. See Price LH
Robertson LM. See Sichel DA
Robinson D. See Omar SJ
Rosel-Soria P, Vallejo J, Oros M, Serrallonga J, Menchon JM, Navarro MA. Changes in platelet 3-H-imipramine binding: influences of protein concentration of varying proportions of cytosol or intact platelets and displacing agents used, 464
Rosenbaum JF
See Labbate LA
See Sachs GS
See Sichel DA
Rosenberg R. See Jensen PN
Rossi A. See Stratta P
Roth RH. See Price LH
Rothman RB. See Baumann MH
Roy-Byrne P, Radant A, Wingerson D, Cowley DS. Human oculomotor function: reliability and diurnal variation, 92
Rubin RT, Ananth J, Villanueva-Meyer J, Trajmar PG, Mena I. Regional ^{133}xenon cerebral blood flow and cerebral ^{99m}Tc-HMPAO uptake in patients with obsessive-compulsive disorder before and during treatment, 429
Rush AJ. See Petty F
Ruttenberg A. See Sichel DA
Ryan TM. See Lawlor BA

Sachs GS. See Labbate LA
Sachs GS, Renshaw PF, Lafer B, Stoll AL, Guimarães AR, Rosenbaum JF, Gonzalez RG. Variability of brain lithium levels during maintenance treatment: a magnetic resonance spectroscopy study, 422
Said S. See Berlin I
Sakamoto K
See Omori M
See Tomitaka S-i
Sakuma M. See DeLisi L
Salmond C. See Ellis P
Samuelson SD. See Pitts AF
Sanders KM. See Leiter FL
Sandler M. See Merikangas KR
Sautter FJ Jr. See Schwartz BD
Schafer K. See Dupont R
Schaltenbrand N. See Luthringer R
Schleifer SJ. See Bartlett JA
Schmeidler J. See Lawlor BA
Schmider J. See Lammers C-H
Schmider J, Lammers C-H, Gotthardt U, Dettling M, Holsboer F, Heuser IJE. Combined dexamethasone/corticotropin-releasing hormone test in acute and remitted manic patients, in acute depression, and in normal controls: I, 797
Schneider LS, Lyness SA. Is platelet imipramine binding reduced in depression? A meta-analysis by Ellis and Salmond, 775-corr
Schoemaker HC. See Pijl H
Schuckit MA. See Anthenelli RM
Schultz SK, Miller DD, Arndt S, Ziebell S, Gupta S, Andreasen NC. Withdrawal-emergent dyskinesia in patients with schizophrenia during antipsychotic discontinuation, 713
Schwartz BD, O'Brien BA, Evans WJ, McDermott BE, Sautter FJ Jr, Winstead DK. Abnormal saccadic eye movements associated with positive family history schizophrenics, 487
Sedman A. See Bradwejn J
Sekiya U. See Nibuya M
Serrallonga J. See Rosel-Soria P
Servatius RJ, Ottenweller JE, Natelson BH. Delayed startle sensitization distinguishes rats exposed to one or three stress sessions: further evidence toward an animal model of PTSD, 539
Shapiro D. See Bystritsky A
Sharif Z. See Jaffe E
Shedlack K. See DeLisi L
Shintani F. See Nibuya M
Shotland R. See Kalayam B
Sichel DA, Cohen LS, Robertson LM, Ruttenberg A, Rosenbaum JF. Prophylactic estrogen in recurrent postpartum affective disorder, 814
Silva RR. See Davila R
Silver H, Geraisy N. No difference in the effect of biperiden and amantadine on negative symptoms in medicated chronic schizophrenic patients, 413
Simons AD. See Thase ME
Singh BS. See Kulkarni J
Sjögren M. See Heilig M
Small JG. See Fabre LF
Smeraldi E. See Mundo E
Smith AM. See DeLisi L
Smith D. See Kulkarni J
Smith DF. See Jensen PN
Smith TL. See Anthenelli RM
Solomon S. See Kalayam B
Song D-H. See Lee H-S
Southwick SM. See Morgan CA III
Spence MA. See Clarke AS
Spencer DD. See Price LH
Spreux-Varoquaux O. See Berlin I
Stack JP. See O'Callaghan E
Starkstein S. See Pozzi D
Steinhauer SR
See Condray R
See Hill SY
Stern TA. See Leiter FL
Stevens DE. See Merikangas KR
Stoddard J. See Raine A
Stoll AL. See Sachs GS
Stoll S. See Gann H
St. Peter H. See Farber MB
Stratta P, Daneluzzo E, Mattei P, Casacccchia M, Rossi A. Phasic asymmetries in phasic affective disorders, 132-corr
Struck M. See Becker G
Sundram S, Dean B, Copolov D. Dopamine uptake in platelets, 416-corr (response)
Susser ES. See Brown AS

Suzuki E. See Nibuya M
Swerdlow NR, Geyer MA, Perry W, Cadenhead K, Braff DL. Drug screening in 'normal' controls

Tabakoff B. See Anthenelli RM
Tamiya S. See Okamoto Y
Tanum L, Malt UF. Sodium lactate infusion in fibromyalgia patients, 559
Tello A. See Gerez M
Terao T. Tricyclic-induced musical hallucinations and states of relative sensory deprivation, 192
Tew W. See DeLisi L
Thal L. See Peskind ER
Thase ME, Kupfer DJ, Buysse DJ, Frank E, Simons AD, McEachran AB, Rashid KF, Grochocinski VJ. Electroencephalographic sleep profiles in single-episode and recurrent unipolar forms of major depression: I. Comparison during acute depressive states, 506
Thibault A. See Labbate LA
Thompson PM, Gillin JC, Golshan S, Irwin M. Polygraphic sleep measures differentiate alcoholics and stimulant abusers during short-term abstinence, 831
Tinklenberg JR. See Omar SJ
Tohoda Y. See Okamoto Y
Tomaz C. See Carey RJ
Tomitaka S-i, Sakamoto K, Kojima I, Fujita H. Serial dexamethasone suppression tests by measuring urinary cortisol among rapidly cycling patients, 128
Tompkins LM, Goldman RS, Axelrod BN. Modifiability of neuropsychological dysfunction in schizophrenia, 105
Tornese EB. See Albanese AM
Toussaint M. See Luthringer R
Trachtenberg D. See Ladds B
Tracy JI. Nonspecific function abnormalities in psychiatry: do they reflect an ordered pathway of brain dysfunction?, 207
Trajmar PG. See Rubin RT
Tremeau F. See Jaffe E
Trivedi MH. See Petty F
Tsuang MT. See Goldstein JM
Tsuchida K. See Akiyama K
Tupler LA. See Miner CM

Ujike H. See Akiyama K
Umbricht A. See Montoya ID

Vallejo J. See Rosel-Soria P
van der Dijs B. See Lechin F
van Engeland H. See Kemner C
van Kammen DP. See Condray R
van Ree JM. See Kok FW
Vanyukov MM. See Moss HB
Vapnik T. See Bystritsky A
Vaughan RM. See Caligiuri MP
Veith RC
See Murburg MM
See Peskind ER
Verbaten MN. See Kemner C
Verghese C. See Abraham G
Verkes RJ. See Pijl H
Villanueva-Meyer J. See Rubin RT
Vinogradov S. See Deicken RF

Waddington JL. See O'Callaghan E
Wallin A. See Heilig M
Watson SJ. See Meador-Woodruff JH
Weinberger DR. See Lipska BK
Weiner MW. See Deicken RF
Weinstein EA. See Mentis MJ
Weissbach A. See Bauer J
Weizman A. See Bessler H
Welkowitz LA. See Papp LA
Westenberg HGM. See Kok FW
Wexler BE. See Yazgan MY
Williams LL. See Lawlor BA
Wilson T. See Dupont R
Wingerson D
See Peskind ER
See Roy-Byrne P
Winstead DK. See Schwartz BD
Woods BT, Yurgelun-Todd D, Mikulis D, Pillay SS. Age-related MRI abnormalities in bipolar illness: a clinical study, 846
Woods SW. See Goddard AW
Wozniak DF. See Farber MB
Wyatt RJ
Early intervention for schizophrenia: can the course of the illness be altered?, 1-ed
See Elkashef AM
Wyatt RJ, Karoum F, Casanova MF. Decreased DOPAC in the anterior cingulate cortex of individuals with schizophrenia, 4

Xie S-h. See DeLisi L

Yagi G. See Nibuya M
Yamawaki S. See Okamoto Y
Yao JK. See Condray R
Yazgan MY, Peterson B, Wexler BE, Leckman JF. Behavioral laterality in individuals with Gilles de la Tourette's syndrome and basal ganglia alterations: a preliminary report, 386
Yeregani V, Balon R, Pohl R, Ramesh C. Depression and heart rate variability, 768
Yoo K-J. See Lee H-S
Young LT, Cooke RG, Levitt AJ, Joffe RT. Prior antidepressant treatment does not have an impact on response to desipramine treatment in major depression, 410
Young RC. See Kalayam B
Yurgelun-Todd DA
See Kouri E
See Woods BT

Ziebell S. See Schultz SK
Zis AP. See Maskall DD
Zumarraga M. See Davila R

Subject Index to Volume 38

Absence status epilepticus
  recurrent, and hyponatremia in patient with polydipsia, 189
Acceleration
  oculomotor function and, 92
Acknowledgements, 851
S-Adenosylmethionine decarboxylase
  in affective disorders, 227
Adrenocorticotropic hormone (ACTH)
  DEX/CRH test and, 797, 803
A.E. Bennett Research Awards 1996, 635, 708, 779, 848
Affective disorders
  brain polyamines in, 227
  DEX/CRH test in, 803
  in Holland after prenatal exposure to 1957 A2 influenza epidemic, 270
  phasic, 132-corr
  postpartum, 814
  rapid cycling, 128
Affective reactivity
  of language and startle response in schizophrenia, 68
Afternoon
  oculomotor function during, 92
Age
  MHPG in Alzheimer's disease and, 185
  MRI abnormalities in bipolar illness and, 846
  at onset of geriatric depression and sensorineural hearing deficits, 649
  schizophrenics with deficit syndrome and, 50
  sleep in alcoholics and stimulant abusers and, 831
Age-specific neurotoxicity
  NMDA receptor blockade and, 788
Agoraphobia
  monoamine oxidase A and B activities in heavy smokers and, 756
Alcohol abuse
  HIV and, 343-corr, 344-corr (response)
Alcoholic female probands
  P300 decrements in children from families of, 622
Alcoholic subgroups
  platelet MAO activity levels in, 361
Alcoholism
  serum GABA levels in young men at high risk for, 704
  sleep in, 831
All-night EEG spectral analysis
  antidepresant response and, 98
Alpha EEG
  in QEEG in depression with and without dementia, 677
  sleep deprivation effect on, 340
  spectral variables and, 98
  in schizophrenia, 303
α-2-adrenergic antagonist
  tryptophan depletion effects on responses to, 74
Alpha-1-acid glycoprotein (AAG)
  plasma level, and response to haloperidol in schizophrenics, 198
Alprazolam
  as antidepressant, 578
  CSF GABA in panic disorder and, 737
Alzheimer's disease
  CSF neuropeptides in, 210
  MHPG in, 185
  oral physostigmine in, 532
  positron emission tomography study of, 438
  QEEG in, 677
Amantadine
  in schizophrenia, 413
Ambulatory monitoring
  of panic patients during regular activity, 684
Amino acids
  plasma, in bulimia nervosa, 659
Ammon's horn
  CA3 region of, in schizophrenia, 22
Animal model
  heritability of biogenic amine levels and, 572
  of Parkinson's disease, 669
  of posttraumatic stress disorder, 539
Anorexia nervosa
  serotonin-induced platelet calcium mobilization and, 274
Answer-question
  lateralization in frontal lobes and, 570-ed
Anterior cingulate cortex
  DOPAC in, in schizophrenia, 4

Abbreviations:
ed: editorial
corr: correspondence

© 1995 Society of Biological Psychiatry

0006-3223/95/$09.50
SSDI 0006-3223(95)00541-2

Anterior cingulate gyrus
inversion of hemospheric laterality of, in schizophrenia, 13
Anticholinergic side effects
of tricyclic antidepressants, 192
Antidepressants
benzodiazepines as, 578
EEG spectral variables and, 98
prior treatment does not have impact on desipramine response in major depression, 410
pterins and, 458
tricyclic, see Tricyclic antidepressants
Antigens
immunoglobulin production in vitro in major depression and, 217
Antiparkinsonian drugs
in schizophrenia, 413
Antipsychotics
discontinuation of, withdrawal-emergent dyskinesia during, 713
Antisaccadic latency
oculomotor function and, 92
Antisocial personality disorder
platelet MAO activity levels and, 361
Anxiety-provoking situiations
avoidance of in panic disorder, 684
Anxiety response
carbon dioxide inhalation and, 826
CI-988 and, 742
CSF GABA in panic disorder and, 737
heart rate variability and, 768
migraine with, treatment for, 603
monoamine oxidase A and B activities in heavy smokers and, 756
tryptophan depletion effects on reponses to yohimbine and, 74
A/Pcz/300
in autistic children, 150
Apomorphine
stereotypy induced by, prefrontal cortical and hippocampal modulation of, 255
Apprehension
CI-988 and, 742
Architecture
sleep, in depression, 391
Arousal symptoms
heightened, combat-related posttraumatic stress disorder and, 174
Asymmetry
anterior cingulate gyrus and, 13
phasic, in phasic affective disorders, 132-corr
of temporal lobe phosphorus metabolism in schizophrenia, 279
Attention
anterior cingulate gyrus and, 13
Attention deficit disorder with hyperactivity (ADDH)
auditory ERPs in, 150
Attention testing
menstrual phase-independent retrieval deficit in PMS and, 369
Audiometry
geriatric depression and, 649
Auditory task
in children at high risk of developing alcoholism, 622
Auditory-evoked potentials
α-bungarotoxin-induced defect in inhibitory gating and, 22
Autonomic activity
in depression, 768
heightened baseline, in panic disorder, 684
Autoradiography
of nicotinic receptors in schizophrenia, 22
Avoidance behavior
in panic disorder, 684

Balance
of lateralized functions, 13
Balanced chromosomal translocation
in bipolar disorder, 116
Basal ganglia
in Tourette syndrome, 112, 386
Behavioral laterality
in Tourette syndrome, 386
Benzodiazepine antagonist
in posttraumatic stress disorder, 319
Benzodiazepines
as antidepressants, 578
Beta band relative power
in depression, EEG spectral variables and, 98
β-blockers
with MAO inhibitor, for migraine with anxiety and depression, 603
β-endorphins
in Alzheimer's disease and vascular dementia, 210
Biogenic amine levels
benzodiazepines and, 578
heritability of, evidence for in monkey CSF, 572
Biological heterogeneity
in schizophrenia, 34, 50
Biological markers
serum GABA levels in young men at high risk for alcoholism and, 704
Biopterins
in depression, 458
Biperiden
in schizophrenia, 413
Bipolar disorder
age-related MRI abnormalities in, 846
with balanced chromosomal translocation, 116
brainstem raphe in, 180
focal white matter abnormalities in, 482
lithium for, 422
Blindness
sleep–wake disorders and, 119
Blood pressure
cocaine use and, 751
major depression and, 166

panic disorder and, 684
posttraumatic stress disorder and, 819
white matter signal hyperintensities in elderly and, 86
Body temperature, elevated
ipsapirone effect on in major depression, 450
supresses REM sleep and improves mood in major depression, 611
Brain
abnormalities, in schizophrenia, 2-ed
cingulate cortex DOPAC in schizophrenia and, 4
fluoxetine measurements, using fluorine MRS in social phobia, 696
iron levels, MRI of, 133-corr, 134-corr (response)
lithium levels during maintenance treatment, 422
morphology, in schizophrenia, 349
posterior areas, in QEEG in depression with and without dementia, 677
serotonin synthesis, plasma amino acids in bulimia nervosa and, 659
sexual dimorphism in, 347-ed
Brainstem raphe
reduced echogenicity of, 180
Breakfast
plasma amino acids in bulimia nervosa and, 659
Brief Psychiatric Rating Scale
haloperidol does not affect level of serum-soluble interleukin-2 receptor in drug-free male schizophrenics, 843
plasma homovanillic acid levels in schizophrenia and, 639
in schizophrenics with deficit syndrome, 50
Bulimia nervosa
plasma amino acids in, 659
serotonin-induced platelet calcium mobilization and, 274
α-Bungarotoxin
inhibitory gating of auditory-evoked potentials and, 22
Buprenorphine
for HIV-positive opiate-dependent patients, 135-corr
Buspirone challenge
prolactin response to, 235

Calcium mobilization
platelet, serotonin-induced, 274
Call for Papers, 418, 566, 634, 707
Caloric intake
total, plasma amino acids in bulimia nervosa and, 659
Carbidopa
psychosis and, 669
Carbohydrate
plasma amino acids in bulimia nervosa and, 659
Carbon dioxide inhalation
anxiogenic effects of, 240, 826
Cardiovascular response
in depression, 768
Carryover effect
in schizophrenia, 2-ed
Catalepsy
in lesioned rats, 255
Catatonia
serum iron in, 776-corr
Catecholamines
cingulate cortex DOPAC in schizophrenia and, 4
combat-related posttraumatic stress disorder and, 174
heritability of biogenic amine levels and, 572
monoamine oxidase A and B activities in heavy smokers and, 756
posttraumatic stress disorder and, 819
serum L-DOPA and, 669
Tourette syndrome and, 112
tryptophan depletion effects on reponses to yohimbine and, 74
Caudate
in schizophrenia, 349
Cerebral blood flow
in obsessive-compulsive disorder, 429
Cerebrospinal fluid (CSF)
GABA, in panic disorder, 737
heritability of biogenic amine levels and, 572
hormones, in major depression, 330
neuropeptides, in Alzheimer's disease, 210
oral physostigmine, in Alzheimer's disease, 532
Cerebroventricular ratios (CVRs)
in schizophrenics with deficit syndrome, 50
"Cheese effect"
β-blockers for, 603
Chest pain/discomfort
CI-988 and, 742
Children
autistic, auditory ERPs in, 150
blind retarded, melatonin treatment of a non-24-hour sleep–wake cycle in, 119
immune differences in, with and without depression, 771
ketamine susceptibility in, 788
P300 amplitude decrements in, 622
Chlordiazepoxide
as antidepressant, 578
m Chlorophenylpiperazine (*m*CPP)
in obsessive-compulsive disorder, 138
Cholecystokinin tetrapeptide (CCK_4)
CI-988 effect on panic symptoms induced by, 742
Cholinergic enzymes
loss of, haloperidol-associated, 246
Cholinergic receptors
nicotinic, in schizophrenia, 22
Cholinergic theory
of schizophrenia, 413
Chromosome 8
in bipolar disorder, 116
Chromosome 15
in bipolar disorder, 116
CI-988
effect of on panic symptoms, 742
Cingulate cortex
decreased DOPAC in, in schizophrenia, 4
Classification principles
lateralization in frontal lobes and, 569-ed

Clinical outcome
growth hormone secretion timing in depression and, 720
Clomipramine
acute intravenous, for obsessive-compulsive disorder, 525
for major depression, 407
for obsessive-compulsive disorder, 429
for Tourette syndrome, 407
Clonidine
in depression, 325
growth hormone response to, in nondepressed patients with history of suicide attempts, 201
Closed-loop pursuit gain
oculomotor function and, 92
Clozapine
fever induced by, effect on sleep, 690
neuroleptic-induced emesis and, 194
serum prolactin levels in healthy men and, 762
in tardive Tourette syndrome, 196
Cocaine
D_3 and D_4 receptor expression in striatum and, 263
neuroendocrine function and, 751
Cognitive activation task
lateralization in frontal lobes and, 569-ed
Cognitive Bias Task
frontal lobe function measurement and, 569-ed
Cognitive function
in geriatric depression, 649
menstrual phase-independent retrieval deficit in PMS and, 369
MHPG in Alzheimer's disease and, 185
in schizophrenia, 105, 349
Cold chills
CI-988 and, 742
Combat veterans
with posttraumatic stress disorder, 174, 819
Community living
by normal elderly, white matter signal hyperintensities and, 86
Compensatory presynaptic changes
in Tourette syndrome, 112
Computed tomography (CT)
in schizophrenics with deficit syndrome, 50
Computerized wave-form recognition method
in schizophrenia, 303
Constructional ability
in schizophrenia, 105
Continuity
sleep, in depression, 391
Corpus callosum
in schizophrenia, 349
Corticolimbic regions
NMDA receptor blockade and, 788
Corticosteroids
and immunoglobulin production in vitro in major depression, 217
Corticosterone
serum, L-DOPA-induced increases in, 669
Corticotropin-releasing hormone (CRH)
in Alzheimer's disease and vascular dementia, 210
in major depression, 330
Cortisol
DEX/CRH test and, 797, 803
and immunoglobulin production in vitro in major depression, 217
intravenous cocaine effects on, 751
ipsapirone effect on in major depression, 450
pindolol pretreatment effect on MK-212-induced, 310
salivary responses, and risk for substance abuse in prepubertal boys, 547
tryptophan depletion effects on reponses to yohimbine and, 74
urinary free, in rapid cycling affective disorder, 128
Cued conditions
in schizophrenia, 105
[^{3}H]Cytisine
nicotinic receptors in schizophrenia and, 22
Cytokines
in schizophrenia, 297
supress REM sleep and improve mood in major depression, 611
Cytosol
[^{3}H]imipramine platelet binding and, 464

Daytime
oculomotor function during, 92
urine noradrenergic measures, in combat-related posttraumatic stress disorder, 174
Decrements
P300 amplitude, in children from families of alcoholic female probands, 622
Deficit schizophrenia
neuroleptic treatment and negative symptoms in, 64
Deficit syndrome
of schizophrenia, 50, 277-ed
Delivery
prophylactic estrogen after, 814
Delta band relative power
in depression, EEG spectral variables and, 98
in QEEG in depression with and without dementia, 677
Delta sleep-inducing peptide (DSIP)
in Alzheimer's disease and vascular dementia, 210
Delusional misidentification syndromes
abnormal brain glucose metabolism in, 438
Delusions
in geriatric depression, 649
Dementia
fluoxetine-induced visual hallucinations in, 556
hearing loss and, 649
QEEG in depression with, 677
Dentate gyrus
in schizophrenia, 22
Depression
blood pressure in, 166
brain polyamines in, 227
in children, immune differences in, 771

clomipramine for, 407
clonidine in, 325
CSF GABA in panic disorder and, 737
CSF hormones in, 330
cytokine synthesis and fever in, 611
desipramine for, 410
DEX/CRH test in, 797
EEG sleep profiles in, 506
EEG spectral variables and, 98
focal white matter abnormalities in, 482
GABA theory of, 578
geriatric, age at onset of, 649
growth hormone in, 325, 720
growth hormone-releasing hormone in, 325
heart rate in, 166, 768
immunoglobulin production in vitro in, 217
ipsapirone in, 450
migraine with, treatment for, 603
monoamine oxidase A and B activities in heavy smokers and, 756
neurotransmitters in, 166
platelet imipramine binding in, 775-corr, 776-corr (response)
pterins in, 458
QEEG in, 677
reduced echogenicity of brainstem raphe in, 180
seasonal affective disorder and, 747
sensorineural hearing deficits in, 649
serotonin transporter in, 699
sleep disturbance in, 391
suicide attempts in, 201
tyramine conjugation deficit in, 730
yohimbine augmentation of fluvoxamine in, 765
Desipramine
for major depression, 410
Dexamethasone/corticotropin-releasing (DEX/CRH) test
in mania and acute depression, 797
in schizophrenia, 803
Dexamethasone suppression test (DST)
serial, urinary free cortisol procedure in rapid cycling affective disorder and, 128
Diazepam
as antidepressant, 578
3,4-Dihydroxyphenylacetic acid (DOPAC)
in anterior cingulate cortex, in schizophrenia, 4
monoamine oxidase A and B activities in heavy smokers and, 756
3,4-Dihydroxyphenylglycol (DHPG)
plasma, monoamine oxidase A and B activities in heavy smokers and, 756
Discontinuation reactions
following sertraline, 694
Discriminant scores
in positive and negative schizophrenia, 34
Displacing agents
[^{3}H]imipramine platelet binding and, 464
Dissociation kinetics
serotonin transorter in depression and, 699
Disturbance
sleep, in depression, 391
Diurnal variation
of oculomotor function, 92
Dizocilipine
NMDA receptor blockade and, 788
Dominance
anterior cingulate gyrus and, 13
Dopamine
cingulate cortex DOPAC in schizophrenia and, 4
cocaine action and, 751
heritability of biogenic amine levels and, 572
NRH-induced neurotoxicity and-ed, 783
obsessive-compulsive disorder and, 429
plasma homovanillic acid levels in schizophrenia and, 639
prefrontal cortex, L-DOPA-induced increases in, 669
prolactin response to buspirone challenge and, 235
schizophrenia and, 267
in schizophrenics with deficit syndrome, 50
sleep deprivation and, 340
Tourette syndrome and, 112
uptake in platelets, 416-corr, 416-corr (response)
vomiting and, 194
Drug development
and deficit syndrome of schizophrenia, 277-ed
Drug screening
in normal controls, 123
Duration of illness
withdrawal-emergent dyskinesia in schizophrenics during antipsychotic discontinuation and, 713
Dyskinesia
withdrawal-emergent, 713
Dyslectics
auditory ERPs in, 150
Dysthymia
QEEG in, 677

Early intervention
for schizophrenia, 1-ed
Early-onset depression
hearing deficits in, 649
Echogenicity
reduced, of brainstem raphe, 180
Elderly
white matter signal hyperintensities in, 86
Electroconvulsive shock (ECS)
IP3 receptors and, 471
Electroconvulsive therapy (ECT)
clozapine in tardive Tourette syndrome and, 196
EEG monitoring of, 837
Electroencephalogram (EEG)
alpha, sleep deprivation effect on, 340
monitoring, of ECT, 837
quantified sleep, and antidepressant response, 98
sleep, in major depression, 506
Emotion
anterior cingulate gyrus and, 13

Endometrium
prolactin synthesis and secretion by, 417-corr
Endotoxin
in induction of cytokine synthesis, 611
Environmental factors
heritability of biogenic amine levels and, 572
schizophrenia and, 2-ed
Epinephrine
posttraumatic stress disorder and, 819
Erratum, 567
Estradiol
serum, in schizophrenic women, 57
Estrogen
depletion, in schizophrenic women, 57
menstrual phase-independent retrieval deficit in PMS and, 369
for postpartum affective disorder, 814
withdrawal state, after delivery, 814
Ethics
for Society of Biological Psychiatry, 562
Event-related potentials
auditory, in autistic children, 150
in children at high risk of developing alcoholism, 622
variables, as discriminators for positive and negative schizophrenia, 34
Executive function
in schizophrenia, 105
Eye blink rate
spontaneous, sleep deprivation effect on, 340
Eye movements
saccadic, in positive family history schizophrenics, 487

Family studies
of alcoholic female probands, P300 decrements in children from, 622
of schizophrenia, 487
of sex differences in familial risk for schizophrenia, 808
serum GABA levels in young men at high risk for alcoholism and, 704

Fasting
plasma amino acids in bulimia nervosa and, 659
Fear-potentiated startle
in posttraumatic stress disorder, 378
Fear response
CI-988 and, 742
tryptophan depletion effects on reponses to yohimbine and, 74
Fever
clozapine-induced, in schizophrenic patient, 690
supresses REM sleep and improves mood in major depression, 611
Fibromyalgia syndrome
sodium lactate infusion in, 559
First-degree relatives
of alcoholic female probands, P300 decrements in children from, 622
sex differences in familial risk for schizophrenia and, 808
Fixation
oculomotor function and, 92
Flat affect
sex differences in familial risk for schizophrenia and, 808
Fluctuation
of tardive dyskinesia, 336
Flumazenil
in posttraumatic stress disorder, 319
Fluoxetine
brain measurements, using fluorine MRS in social phobia, 696
indifference syndrome induced by, among opiate addicts, 404
plasma amino acids in bulimia nervosa and, 659
visual hallucinations induced by in dementia, 556
Fluphenazine
plasma homovanillic acid levels in schizophrenia and, 639
Fluvoxamine
yohimbine augmentation of in refractory depression, 765
Follicle-stimulating hormone (FSH)
menstrual phase-independent retrieval deficit in PMS and, 369
Follicular phase
menstrual phase-independent retrieval deficit in PMS and, 369
Food preferences
plasma amino acids in bulimia nervosa and, 659
Formal thought disorder
and affective reactivity of language and startle response, 68
Freezer time
cingulate cortex DOPAC in schizophrenia and, 4
Frequency
of panic attacks, 737, 742
Frontal cortex
polyamines, in affective disorders, 227
Frontal lobes
in delusional misidentification syndromes, 438
lateralization and, 569-ed
in schizophrenia, 105
Frontostriatal deficits
in negative symptoms in schizophrenia, 34
γ-aminobutyric acid (GABA)
in depression, 578
NRH-induced neurotoxicity and, 783-ed
in panic disorder, 737
in young men at high risk for alcoholism, 704

Gender
CI-988 effect on CCK_4-induced panic symptoms in healthy volunteers, 742
clozapine does not elevate serum prolactin levels in healthy men, 762
genetic heterogenity may in part explain sex differences in familial risk for schizophrenia, 808
gonadotropin response to naloxone challenge in female and male psychotics, 701
growth hormone secretion timing in depression and, 720
haloperidol does not affect level of serum-soluble

interleukin-2 receptor in drug-free male schizophrenics, 843
inversion of hemispheric laterality of anterior cingulate gyrus in schizophrenics and, 13
lateralization in frontal lobes and, 569-ed
menstrual phase-independent retrieval deficit in PMS, 369
MHPG in Alzheimer's disease and, 185
minor physical anomalies on MRI in schizophrenia and, 516
olfaction in schizophrenic women and, 57
P300 decrements in children from families of alcoholic female probands and, 622
pindolol pretreatment effect on MK-212-induced plasma cortisol and prolactin responses in normal men, 310
platelet MAO activity in alcoholic subgroups, 361
salivary cortisol responses and risk for substance abuse in prepubertal boys, 547
schizophrenics with deficit syndrome and, 50
serum GABA levels in young men at high risk for alcoholism, 704
and sleep in alcoholics and stimulant abusers, 831

Genetic heterogeneity
sex differences in familial risk for schizophrenia and, 808
Genetics
of bipolar disorder, 116
heritability of biogenic amine levels and, 572
George N. Thompson Award for Distinguished Service 1996, 637, 710, 781, 850
Glucose
metabolism of in murderers, 342-corr, 342-corr (response)
plasma amino acids in bulimia nervosa and, 659
Glutamate
NRH-induced neurotoxicity and, 783-ed, 788
GM1 ganglioside
prevents CNS haloperidol effects, 246
Gold Medal Award 1996, 635, 779, 848
Gonadotropin response
to naloxone challenge in female and male psychotics, 701
Grey matter
subcortical hyperintensities, in elderly, 86
Growth hormone (GH) response
to clonidine in nondepressed patients with history of suicide attempts, 201
to growth hormone-releasing hormone and clonidine in depression, 325
secretion timing and, in depression, 720

Hallucinations
musical, tricyclic antidepressant-induced, 192
visual, fluoxetine-induced, 556
Haloperidol
catalepsy induced by, prefrontal cortical and hippocampal modulation of, 255
CNS effects, GM1 ganglioside prevents, 246
plasma homovanillic acid levels in schizophrenia and, 639
serum-soluble interleukin 2 receptor in drug-free male schizophrenics and, 843
Hamilton Anxiety Scales
monoamine oxidase A and B activities in heavy smokers and, 756
Hamilton Rating Scale for Depression
EEG spectral variables and, 98
seasonal affective disorder and, 747
sertraline for major depression and, 592
Handedness
lateralization in frontal lobes and, 569-ed
Headache
tyramine conjugation deficit in, 730
Healthy volunteers
CI-988 effect on CCK_4-induced panic symptoms in, 742
Hearing loss
geriatric depression and, 649
Heart rate
cocaine use and, 751
EEG monitoring of ECT and, 837
in major depression, 166
in panic disorder, 684
variability, in depression, 768
Hemiparkinsonism
psychotic reactions induced by L-DOPA in, 669
Hemispheric laterality
of anterior cingulate gyrus, in schizophrenics, 13
Heritability
of biogenic amine levels, 572
Hippocampus
catalepsy and stereotypy modulated by, 255
IP3 binding, following repeated ECS, 471
nicotinic receptors, in schizophrenia, 22
polyamines, in affective disorders, 227
in schizophrenia, 349
Homovanillic acid (HVA)
heritability of biogenic amine levels and, 572
L-DOPA and, 669
as predictor of clinical response in schizophrenia, 267
in schizophrenia, 639
in schizophrenics with deficit syndrome, 50
Hormones
naloxone challenge in schizophrenia and, 701
Hot flushes
CI-988 and, 742
Human immunodeficiency virus (HIV)
alcohol abuse and, 343-corr, 344-corr (response)
buprenorphine for opiate-dependent patients with, 135-corr
Hydrocortisone
and immunoglobulin production in vitro in major depression, 217
Hydroxy-6-dopamine (6-OHDA)
prefrontal cortex, L-DOPA-induced increases in, 669
5-Hydroxyindoleacetic acid (5-HIAA)
heritability of biogenic amine levels and, 572
serum L-DOPA and, 669
5-Hydroxytryptamine (5-HT)
acute effect of exercise and, 125
tryptophan depletion effects on reponses to yohimbine and, 74

Hyperintensities
white matter, in elderly, 86
Hyperresponsivity
and affectivity of language and startle response in schizophrenia, 68
repeated stressor-induced, in animal model of posttraumatic stress disorder, 539
Hypofrontality
in schizophrenia, 34
Hyponatremia
in patient with polydipsia, and recurrent absence status epilepticus, 189
Hyporesponsivity
and affectivity of language and startle response in schizophrenia, 68
Hypothalamic-pituitary-adrenal (HPA) axis
cocaine use and, 751
DEX/CRH test and, 797, 803
urinary cortisol among rapidly cycling patients and, 128

Illness transduction
major depression and, 506
Imipramine
binding to platelets, in depression, 464, 775-corr, 776-corr (response)
GABA in panic disorder and, 737
growth hormone secretion timing in depression and, 720
musical hallucinations and states of relative sensory deprivation induced by, 192
Immune differences
in children, with and without depression, 771
Immunoglobulin production
in vitro, in major depression, 217
Indifference syndrome
fluoxetine-induced, in opiate addicts, 404
Inflammatory events
febrile, effect of on major depression, 611
Influenza
prenatal exposure to, correlated with affective disorders, 270
In situ hybridization
cocaine effects on D_3 and D_4 receptor expression in striatum and, 263
Insomnia
sleep–wake disorders and, 119
Instructional set
panic disorder and, 826
Insulin
plasma amino acids in bulimia nervosa and, 659
Interleukin 1 (IL-1) synthesis induction
supresses REM sleep and improves mood in major depression, 611
Interleukin 1β (IL-1β)
in schizophrenia, 297
Interleukin 2 (IL-2)
in schizophrenia, 297
Interleukin 3 (IL-3-LA)-like activity
in schizophrenia, 297
Interleukin 6 (IL-6) synthesis induction
supresses REM sleep and improves mood in major depression, 611
International Headache Society
tyramine conjugation deficit and, 730
Interneurons
hippocampal, in schizophrenia, 22
Inversion
of hemispheric laterality of anterior cingulate gyrus in schizophrenics, 13
Ipsapirone
in major depression, 450
Iron
brain, MRI of, 133-corr, 134-corr (response)
serum, in catatonia, 776-corr

Ketamine
NMDA receptor blockade and, 788

Language
affective reactivity of in schizophrenia, 68
comprehension, in schizophrenia, 287
Latency
saccadic, oculomotor function and, 92
Late-onset depression
hearing deficits in, 649
Lateralization
in autistic children, 150
in frontal lobes, 569-ed
in QEEG in depression with and without dementia, 677
in schizophrenia, 13
Lateral ventricles
in schizophrenia, 349
L-DOPA
monoamine oxidase A and B activities in heavy smokers and, 756
psychosis and, 669
Lilly Fellowship Award, 637, 710
Limbic system
in delusional misidentification syndromes, 438
Linear regression analysis
of dopamine uptake into platelet storage granules in Tourette syndrome and, 112
Lineweaver Burke plot
of dopamine uptake into platelet storage granules in Tourette syndrome and, 112
Lithium levels
brain, during maintenance treatment, 422
Logistic regression
sex differences in familial risk for schizophrenia and, 808
Long-term knowledge
lateralization in frontal lobes and, 570-ed
Lunch
plasma amino acids in bulimia nervosa and, 659
Luria-Nebraska Relational Concepts Factor Scale
language comprehension in schizophrenia and, 287
Luteal phase
menstrual phase-independent retrieval deficit in PMS and,

369

Macacca mulatta
heritability of biogenic amine levels and, 572
Magnetic resonance imaging (MRI)
in bipolar illness, 846
of brain iron levels, 133-corr, 134-corr (response)
in schizophrenia, 349, 516
in Tourette syndrome, 386
white matter signal hyperintensities in elderly and, 86
Magnetic resonance spectroscopy (MRS)
of brain lithium levels during maintenance treatment, 422
fluorine, for brain fluoxetine measurements, 696
in schizophrenia, 279
Maintenance treatment
brain lithium levels during, 422
growth hormone secretion timing in depression and, 720
Major depression
blood pressure in, 166
in children, immune differences in, 771
clomipramine for, 407
CSF hormones in, 330
cytokine synthesis and fever in, 611
desipramine for, 410
early-onset puerperal, estrogen withdrawal state and, 814
EEG sleep profiles in, 506
EEG spectral variables and, 98
GABA in, 578
geriatric, age at onset of, 649
heart rate in, 166
immunoglobulin production in vitro in, 217
ipsapirone in, 450
neurotransmitters in, 166
QEEG in, 677
reduced echogenicity of brainstem raphe in, 180
seasonal affective disorder and, 747
sertraline safety and efficacy in, 592
spectral EEG sleep profiles in, 98
tyramine conjugation deficit in, 730
Mania
acute and remitted, DEX/CRH test in, 797
Manic episode
monoamine oxidase A and B activities in heavy smokers and, 756
Marijuana smokers
in college population, attributes of, 475
Meals
plasma amino acids in bulimia nervosa and, 659
Medication exposure
withdrawal-emergent dyskinesia in schizophrenics during antipsychotic discontinuation and, 713
Melatonin treatment
of non-24-hour sleep–wake cycle in blind retarded child, 119
Memory
menstrual phase-independent retrieval deficit in PMS and, 369
in schizophrenia, 105
Memory-guided saccade test
oculomotor function and, 92
Menopause
olfaction in schizophrenic women and, 57
Menstrual cycle
schizophrenia and, 701
Menstrual phase-independent retrieval deficit
in PMS, 369
Mental retardation
sleep–wake disorders and, 119
Mesencephalic tissue transplantation
human fetal, in Parkinson's disease, 498
Messenger RNA (mRNA)
dopamine, 263
Meta-analysis
of platelet imipramine binding in depression, 775-corr, 776-corr (response)
Metabolism
biogenic amine, 578
brain glucose, in delusional misidentification syndromes, 438
brain glucose, in murderers, 342-corr, 342-corr (response)
phosphorus, in schizophrenia, 279
3-Methoxy 4 hydroxyphenylglycol (MHPG)
Alzheimer's disease and, 185
combat-related posttraumatic stress disorder and, 174
suicidal behavior and, 201
tryptophan depletion effects on reponses to yohimbine and, 74
Metoclopramide
prolactin response to buspirone challenge and, 235
Migraine
with anxiety and depression, combination MAO inhibitor and β-blocker treatment for, 603
tyramine conjugation deficit in, 730
Minnesota Multiphasic Personality Inventory
drug screening in normal controls and, 123
Minor physical anomalies
MRI in schizophrenia and, 516
Mismatch negativity
in autistic children, 150
MK-212
plasma cortisol and prolactin responses induced by, pindolol pretreatment effect on, 310
MK-801
NMDA receptor blockade and, 788
Monoamine oxidase (MAO) activity
acute effect of exercise on, 125
in alcoholic subgroups, 361
in heavy smokers, 756
Monoamine oxidase (MAO) inhibitor
with β-blocker, for migraine with anxiety and depression, 603
Monoamines
pterins in depression and, 458
Monosialoganglioside
prevents CNS haloperidol effects, 246

Mood disorders
acute effects of exercise on, 125
focal white matter abnormalities in, 482
modifiability of neuropsychological dysfunction in schizophrenia and, 105
Morning
oculomotor function during, 92
Movement disorder
Tourette syndrome and, 112
Moving target
oculomotor function and, 92
Murderers
glucose metabolism in, 342-corr, 342-corr (response)
Musical hallucinations
tricyclic antidepressant-induced, 192

N250 negativity
in children at high risk of developing alcoholism, 622
Naloxone challenge
gonadotropin response to in schizophrenia, 701
Negative symptoms
in schizophrenia, 34, 64, 413, 713
in schizophrenics with deficit syndrome, 50
Neopterins
in depression, 458
Nervousness
feelings of, tryptophan depletion effects on reponses to yohimbine and, 74
Neural deficit
geriatric depression and, 649
Neural transplants
in Parkinson's disase, 498
Neurodevelopment
in schizophrenia, 516
Neuroendocrine function
cocaine and, 751
Neuroleptic-naive first episode patients
plasma homovanillic acid levels in schizophrenia and, 639
Neuroleptics
discontinuance of, plasma homovanillic acid levels in schizophrenia and, 639
emesis induced by, 194
and negative symptoms in deficit and nondeficit schizophrenia, 64
Neurologic soft signs
withdrawal-emergent dyskinesia in schizophrenics during antipsychotic discontinuation and, 713
Neurons
catecholamine, Tourette syndrome and, 112
dopamine, in Parkinson's disease, 669
Neuropeptide Y (NPY)
in Alzheimer's disease and vascular dementia, 210
Neurophysiologic traits
underlying, oculomotor function and, 92
Neuropsychological dysfunction
in schizophrenia, 13, 34, 105
Neurotransmitters
heritability of biogenic amine levels and, 572
in major depression, 166
tryptophan depletion effects on reponses to yohimbine and, 74
News and Notes, 204, 345, 492, 562, 633, 778
Nicotinic receptors
hippocampal, in schizophrenia, 22
Nighttime
urine noradrenergic measures, in combat-related posttraumatic stress disorder, 174
N-methyl-D-aspartate (NMDA)
NRH-induced neurotoxicity and-ed, 783
receptor blockade, age-specific neurotoxicity and, 788
Nondeficit schizophrenia
neuroleptic treatment and negative symptoms in, 64
Nonspecific abnormalities
in psychiatry, 207-ed
Nonstressful events
and affectivity of language and startle response in schizophrenia, 68
Noradrenergic function
MHPG in Alzheimer's disease and, 185
suicidal behavior and, 201
urinary, in combat-related posttraumatic stress disorder, 174
Norepinephrine
cingulate cortex DOPAC in schizophrenia and, 4
combat-related posttraumatic stress disorder and, 174
heritability of biogenic amine levels and, 572
monoamine oxidase A and B activities in heavy smokers and, 756
oral physostigmine in Alzheimer's disease and, 532
plasma kinetics, in posttraumatic stress disorder, 819
pterins in depression and, 458
serum L-DOPA and, 669
tryptophan depletion effects on reponses to yohimbine and, 74
Normal controls
drug screening in, 123
NRH-induced neurotoxicity
development of glutamate, GABA, and dopamine systems in relation to, 783-ed
NMDA receptor blockade and, 788

Obsessive-compulsive disorder (OCD)
acute intravenous clomipramine for, 525
cerebral blood flow in, 429
*m*CPP in, 138
Occipital lobe
in autistic children, 150
Oculomotor function
reliability and diurnal variation, 92
Oddball task
in autistic children, 150
Olfaction
in postmenopausal women with schizophrenia, 57
Open-loop pursuit gain
oculomotor function and, 92
Opiates
buprenorphine for HIV patients dependent on, 135-corr

fluoxetine-induced indifference syndrome and, 404
psychosis and, 701
Ordered pathway
of brain dysfunction, 207-ed
Ornithine decarboxylase
in affective disorders, 227
Orosomucoid
plasma level, and response to haloperidol in schizophrenics, 198
Orthostasis
in major depression, 166
Orthostatic hypotension
relief of as MAO inhibitor side effect, 603
Osteoporosis
schizophrenia and, 131-corr
Oxytocin
in major depression, 330

P3 amplitude
in autistic children, 150
P300 amplitude
decrements, in children from families of alcoholic female probands, 622
in schizophrenia, 34
Panic attacks
monoamine oxidase A and B activities in heavy smokers and, 756
Panic disorder
ambulatory monitoring during regular activity in, 684
carbon dioxide inhalation in, 240
CI-988 in, 742
CSF GABA in, 737
instructional set and, 826
rebreathing tests in, 240
respiratory challenges in, 826
Paralimbic system
in delusional misidentification syndromes, 438
Paranoia
study of, 496-ed
Paraphrenia
late, white matter signal hyperintensities and, 86
Parkinson's disease
neural transplants in, 498
psychotic reactions induced by L-DOPA in, 669
Paroxysmal duration
spike, EEG monitoring of ECT and, 837
Pedigree
heritability of biogenic amine levels and, 572
Phasic affective disorders
phasic asymmetries in, 132-corr
Phencyclidine (PCP)
NRH-induced neurotoxicity and, 783-ed
Phenelzine
with atenolol, for migraine with anxiety and depression, 603
^{31}Phosphorus magnetic resonance spectroscopy imaging (^{31}P MRSI)
in schizophrenia, 279
Phototherapy
for seasonal affective disorder, 747
Physical exercise
acute effect of on blood platelet serotonin uptake and monoamine oxidase activity, 125
in major depression, 166
Physostigmine
oral, in Alzheimer's disease, 532
Pindolol
pretreatment, effect of on MK-212-induced plasma cortisol and prolactin, 310
Plasticity
of neurobehavioral function, in schizophrenia, 105
Platelets
dopamine uptake in, 416-corr, 416-corr (response)
imipramine binding to, in depression, 464, 775-corr, 776-corr (response)
MAO activity levels in alcoholic subgroups and, 361
serotonin in, acute effect of exercise on, 125
Platelet storage granules
dopamine uptake into, in Tourette syndrome, 112
Polyamines
brain, in affective disorders, 227
Polydipsia
in patient with hyponatremia, and recurrent absence status epilepticus, 189
Polygraphic sleep patterns
of alcoholics and stimulant abusers, 831
Positive symptoms
in schizophrenia, 34
Positron emission tomography (PET)
in Alzheimer's disease, 438
Postmenopausal women
schizophrenic, olfactory identifcation ability in, 57
Postmortem brain tissue
hippocampal nicotinic receptors in schizophrenia and, 22
Postmortem interval
cingulate cortex DOPAC in schizophrenia and, 4
Postpartum affective disorder
recurrent, estrogen for, 814
Posttraumatic stress disorder (PTSD)
fear-potentiated startle in, 378
flumazenil in, 319
plasma norepinephrine kinetics in, 819
urine noradrenergic measures and sleep in, 174
Prefrontal cortex
catalepsy and stereotypy modulated by, 255
dopamine, L-DOPA-induced increases in, 669
lateralization in frontal lobes and, 569-ed
Pregnancy
prophylactic estrogen after, 814
Premature reflexive saccades
oculomotor function and, 92
Premenopausal women
schizophrenic, olfactory identification ability in, 57
Premenstrual syndrome (PMS)
menstrual phase-independent retrieval deficit in, 369

Prenatal exposure
to influenza, correlated with affective disorders, 270
Prepubertal boys
salivary cortisol responses and risk for substance abuse in, 547
Presleep onset
growth hormone secretion during, 720
Primary prevention
of schizophrenia, 2-ed
Probands
alcoholic female, 622
Problem solving
in schizophrenia, 105
Prodromal signs
of schizophrenia, 1-ed
Progesterone
menstrual phase-independent retrieval deficit in PMS and, 369
Prolactin
buspirone challenge and, 235
clozapine does not elevate levels of in healthy men, 762
cytokine production in schizophrenia and, 297
endometrial synthesis and secretion of, 417-corr
intravenous cocaine effects on, 751
obsessive-compulsive disorder and, 138
pindolol pretreatment effect on MK-212-induced, 310
as predictor of clinical response in schizophrenia, 267
serum-soluble interleukin 2 receptor in drug-free male schizophrenics and, 843
Protein
plasma amino acids in bulimia nervosa and, 659
Psychoactive substance use disorder
salivary cortisol responses and, 547
Psychoimmunology
children and, 771
Psychoneuroimmunology
in major depression, 611
Psychopathology
heritability of biogenic amine levels and, 572
Psychosis
hearing loss and, 649
late life onset of, 86
L-DOPA and, 669
NMDA receptor blockade and, 788
Pterins
in depression, 458
Puerperal affective psychosis
estrogen withdrawal state and, 814
Pure-Tone Thresholds
geriatric depression and, 649
Pursuit
oculomotor function and, 92

Quantified electroencephalogram (QEEG)
in depression with and without dementia, 677
in never-treated schizophrenics, 303
sleep analysis, and antidepressant response, 98
variables, as discriminators for positive and negative schizophrenia, 34

Rapid cycling affective disorder
urinary free cortisol in, 128
Rapid eye movement (REM) sleep
in alcoholics and stimulant abusers, 831
combat-related posttraumatic stress disorder and, 174
cytokine synthesis and fever suppress, 611
in depression, 391
in major depression, 506
Read rebreathing test
in panic disorder, 240
Rebound
of REM sleep, 611
Rebreathing tests
in panic disorder, 240
Receptors
dopamine, 263
interleukin 1, 611
interleukin 2, 843
IP3, 471
nicotinic, in schizophrenia, 22
NMDA, 788
Recreational drug intoxication
effects of on dependent measures in biological psychiatry, 123
Recurrence
growth hormone secretion timing in depression and, 720
Reduced habituation
and affectivity of language and startle response in schizophrenia, 68
Reflexive saccades
oculomotor function and, 92
Refractory depression
yohimbine augmentation of fluvoxamine in, 765
Regular activity
ambulatory monitoring of panic patients during, 684
Relative sensory deprivation states
tricyclic antidepressant-induced, 192
Reliability
of oculomotor function, 92
Repeated stressor-induced hyperresponsiveness
in animal model of posttraumatic stress disorder, 539
Respiratory challenges
in panic disorder, 826
Response selection task
lateralization in frontal lobes and, 569-ed
Rhesus monkeys
heritability of biogenic amine levels and, 572
Right cerebral hemisphere
anterior cingulate gyrus and, 13
Robins, Eli (in memoriam), 495

Saccades
oculomotor function and, 92
in positive family history schizophrenics, 487
Salivary cortisol responses
and risk for substance abuse in prepubertal boys, 547

Schizophrenia
affective reactivity of language and startle response in, 68
alpha-1-acid glycoprotein and response to haloperidol in, 198
amantadine in, 413
biological heterogeneity in, 34, 50
biperiden in, 413
brain abnormalities in, 2-ed
brain morphology and cognition in, 349
brain polyamines in, 227
brainstem raphe in, 180
carryover effect in, 2-ed
cholinergic theory of, 413
clozapine in tardive Tourette syndrome and, 196
cytokine production in, 297
deficit and nondeficit, neuroleptic treatment and negative symptoms in, 64
deficit syndrome of, 50, 277-ed
DEX/CRH test in, 803
DOPAC in anterior cingulate cortex in, 4
dopamine in, 267
early intervention for, 1-ed
family history of, 487
hippocampal nicotinic receptors in, 22
homovanillic acid in, 267, 639
interleukin 2 receptor in, 843
inversion of hemispheric laterality of anterior cingulate gyrus in, 13
language comprension in, 287
late onset, white matter signal hyperintensities in, 86
minor physical anomalies on MRI in, 516
naloxone challenge in, 701
negative symptoms in, 34, 413
neuropsychological dysfunction in, 105
NMDA receptor blockade in, 788
NRH-induced neurotoxicity in, 783-ed
oculomotor function in, 92
olfaction in postmenopausal women with, 57
osteoporosis in, 131-corr
^{31}P MRSI in, 279
positive symptoms in, 34
prodromal symptoms of, 1-ed
prolactin in, 267
QEEG and ERP discriminators in, 34
QEEG in, 303
saccadic eye movements in, 487
sex differences in familial risk for, 808
vomiting in, 194
withdrawal-emergent dyskinesia in, 713
Schizophrenia-spectrum illness
withdrawal-emergent dyskinesia in, 713
Seasonal affective disorder (SAD)
phototherapy treatment, outcome at 1 vs. 2 weeks, 747
Secondary prevention
of schizophrenia, 2-ed
Second-degree relatives
of alcoholic female probands, P300 decrements in children from, 622
Second messengers
electroconvulsive shock and IP3 receptors, 471
Sedative behavioral effects
of cytokines, 611
Seizures
EEG monitoring of ECT and, 837
Selective serotonin reuptake inhibitors (SSRIs)
plasma amino acids in bulimia nervosa and, 659
safety and efficacy of for major depression, 592
Semantic memory
in schizophrenia, 105
Sensorineural hearing deficits
in geriatric depression, 649
Serotonin
acute effect of exercise and, 125
anorexia nervosa and, 274
bulimia nervosa and, 274, 659
heritability of biogenic amine levels and, 572
major depression and, 166
obsessive-compulsive disorder and, 138, 429, 525
platelet calcium mobilization and, 274
prolactin response to buspirone challenge and, 235
pterins in depression and, 458
serum L-DOPA and, 669
transporter, in depression, 699
tryptophan depletion effects on reponses to yohimbine and, 74
Sertraline
discontinuation reactions following, 694
for major depression, 592
Sex
and familial risk for schizophrenia, 808
Sexual dimorphism
in brain, 347-ed
lateralization in frontal lobes and, 570-ed
schizophrenia and, 516
Short-term abstinence
polygraphic sleep measures differentiate alcoholics and stimulant abusers during, 831
Signal hyperintensities
in bipolar illness, 846
Simple phobia
monoamine oxidase A and B activities in, 756
Single-episode depression
EEG sleep profiles in, 506
Single-photon emission computed tomography (SPECT)
of regional cerebral blood flow in obsessive-compulsive disorder, 429
Sleep
in alcoholics and stimulant abusers, 831
combat-related posttraumatic stress disorder and, 174
during clozapine-induced fever in schizophrenic patient, 690
cytokine synthesis and fever suppress, 611
in depression, 98, 391
deprivation, effects of on spontaneous eye blink rate and

alpha EEG power, 340
EEG, in major depression, 506
EEG, spectral variables and, 98
onset, growth hormone secretion timing and, 720
Sleep–wake cycle
non-24-hour, melatonin treatment of, 119
Slow-wave sleep
cytokine-induced, 611
in major depression, 506
Smell testing
in schizophrenic women, 57
Smoking
antidepressant effect of, 756
Social phobia
brain fluoxetine measurements in, 696
Society Awards, 635, 708, 779, 848
Sodium lactate infusion
in fibromyalgia patients, 559
Somatostatin (SRIF)
in Alzheimer's disease and vascular dementia, 210
Somnogenicity
of cytokines, 611
Southard, Elmer Ernest, 71-ed
Spectral analysis
and antidepressant response, 98
Spermidine/spermine N^1-acetyltransferase
in affective disorders, 227
Startle response
and affective reactivity of language in schizophrenia, 68
fear-potentiated, in posttraumatic stress disorder, 378
Startle sensitization
delayed, in animal model of posttraumatic stress disorder, 539
State marker
in schizophrenia, 287
urinary cortisol among rapidly cycling patients and, 128
Stereotypy
in lesioned rats, 255
Stimulant abuse
sleep and, 831
Stress
and affectivity of language and startle response in schizophrenia, 68
panic disorder and, 684
posttraumatic stress disorder and, 819
Striatum
cocaine effects on D_3 and D_4 receptor expression in, 263
Stroke
white matter signal hyperintensities in elderly and, 86
Suicide attempts
growth hormone response to clonidine in nondepressed patients with history of, 201
Superior temporal gyrus
in schizophrenia, 349
Supine resting
in major depression, 166
Suspiciousness
study of, 496-ed
Sympathetic nervous system
posttraumatic stress disorder and, 819

Tachycardia
EEG monitoring of ECT and, 837
Tardive dyskinesia
fluctuation of, 336
vomiting and, 194
withdrawal-emergent dyskinesia and, 713
Tardive Tourette syndrome
clozapine in, 196
^{99}Tc-HMPAO uptake
in obsessive-compulsive disorder, 429
Temporal lobes
in schizophrenia, 34, 279, 349
Temporohippocampal functions
in schizophrenia, 105
Tension-type headache
tyramine conjugation deficit in, 730
Test-retest reliability
for oculomotor paradigms, 92
Theta band relative power
in depression, EEG spectral variables and, 98
Tonic-clonic activity
EEG monitoring of ECT and, 837
Total sleep time (TST)
in alcoholics and stimulant abusers, 831
Tourette syndrome
basal ganglia in, 386
behavioral laterality in, 386
clomipramine for, 407
dopamine uptake into platelet storage granules in, 112
tardive, clozapine in, 196
Toxicology
drug screening in normal controls and, 123
Trait indicator
in schizophrenia, 287
Transcranial color-coded real time sonography
of reduced echogenicity of brainstem raphe, 180
Transcranial magnetic stimulation
a potential new frontier in psychiatry, 419-ed
Translocation
balanced chromosomal, in bipolar disorder, 116
Tricyclic antidepressants
musical hallucinations and states of relative sensory deprivation induced by, 192
Tryptophan
depletion, effects on responses to yohimbine, 74
plasma amino acids in bulimia nervosa and, 659
Tumor necrosis factor α (TNF α) synthesis induction
supresses REM sleep and improves mood in major depression, 611
Tyramine conjugation deficit
in migraine, tension-type headache, and depression, 730

Undivided publication of research findings
a uniform editorial policy of the consortium of editors of

journals relating to human development and psychopathology, 137-ed
Unipolar depression
EEG sleep profiles in, 506
focal white matter abnormalities in, 482
reduced echogenicity of brainstem raphe in, 180
University of Pennsylvania Smell Identification Test
and olfaction in women with schizophrenia, 57
Urine noradrenergic measures
nocturnal/daytime, in combat-related posttraumatic stress disorder, 174

Variability
heart rate, in depression, 768
Vascular dementia
CSF neuropeptides in, 210
Vasopressin
in major depression, 330
oral physostigmine in Alzheimer's disease and, 532
Velocity
oculomotor function and, 92
Ventilatory response
in panic disorder, 240
Ventricular enlargement
in schizophrenia, 349
in schizophrenics with deficit syndrome, 50
Vietnam veterans
with posttraumatic stress disorder, 174
Visual hallucinations
fluoxetine-induced, in dementia, 556
Visual memory
in schizophrenia, 105
Visual task
in children at high risk of developing alcoholism, 622
Vomiting
neuroleptic-induced, 194
Vulnerability
to fluoxetine-induced indifference syndrome among opiate addicts, 404
heritability of biogenic amine levels and, 572
NMDA receptor blockade and, 788

Wechsler Adult Intelligence Scale
in schizophrenics with deficit syndrome, 50
White matter
focal abnormalities, diagnostic specificity of, 482
signal hyperintensities, in elderly, 86
Whole hemisphere
in schizophrenia, 349
Wisconsin Card Sorting Test
frontal lobe function measurement and, 569-ed
Withdrawal-emergent dyskinesia
in schizophrenia during antipsychotic discontinuation, 713
Word Recognition in Noise
geriatric depression and, 649
Working memory
lateralization in frontal lobes and, 570-ed
^{133}Xenon cerebral blood flow
regional, in obsessive-compulsive disorder, 429

Yohimbine
augmentation, of fluvoxamine in refractory depression, 765
tryptophan depletion effects on responses to, 74

Ziskind–Somerfeld Research Award 1996, 636, 709, 780, 849